




**SPC (Stone Plastic Composite or Stone Polymer Composite)**  
Normal pressed SPC – Hard tile like core, stable, waterproof



**Product Specs:**

- Style Number - TBD
- Construction - Fold-N-Tap, 2G Valinge
- Size – 7 1/4" × 48"
- Thickness - 4mm (4.0 + EVA foam)
- Wear Layer - 12mil
- Finish – Wood Embossing, UV cured Ceramic bead finish
- Edge Description - Beveled

- SF per Carton – 23.64
- SF per Pallet - 1,418.26
- Installation - Floating or Glue
- Installation Grade - Above, On, Below
- Ortho-Phthalates Free - Yes
- FloorScore Certified - Yes
- Residential Wear Warranty – Lifetime Limited Warranty
- Light Commercial Warranty - 20 year
- Suggested Adhesive – T-180 Adhesive

### **LIFETIME LIMITED RESIDENTIAL WARRANTY FOR SPC FLOORING**

Will not wear through.

Will be free of manufacturing defects.

Will not rip or tear from normal household use.

Will not permanently indent from normal household use.

Will not discolor from the bottom-up from the underlayment panels, as well as mold, mildew or alkali.

The edges of the plank will not curl.

Wear through is defined as loss of the floor design due to normal household use. We recommend using floor protectors. As a general rule of thumb, the heavier the item, the wider the floor protectors should be.

### **20 YEAR LIMITED COMMERCIAL WARRANTY FOR SPC FLOORING**

#### ***WHAT IS COVERED AND LENGTH OF COVERAGE?***

For commercial installations (example: common areas in multi-unit dwellings and low traffic retail shops) the product is warranted to be free from manufacturing defects for 10 years from the date of purchase. If a defect covered by this warranty is reported to ASPEN SPRING FLOORING in writing within 10 years of purchase, ASPEN SPRING FLOORING will supply new material of the same or similar grade sufficient to repair or replace the defective material.

#### ***LIFETIME LIMITED WATERPROOF WARRANTY***

The floor plank or tile is warranted to be 100% waterproof and the structural integrity of the floor plank or tile will not be significantly diminished by exposure to water for the life of the product. While moisture will not affect the floor's integrity, it is probable that, when excessive moisture accumulates in buildings or on building materials, mold (and/or) mildew growth can occur (particularly if the moisture problem remains undiscovered or unaddressed). Lawson Floors moisture warranty excludes damage resulting from mold and/or mildew growth due to prolonged exposure to moisture. This warranty is not transferable by the purchaser of the floor.

This Lifetime Limited Waterproof Warranty excludes all casualty events involving water coming in contact with your floor and failures normally covered by homeowners insurance including, but not limited to, damages caused by flooding or standing water from leaky pipes, faucets, or household appliances. Also excluded are damages caused by flooding or

standing water from hydrostatic pressure or other casualty events.

The Limited Waterproof Warranty does not cover:

1. Damage to surrounding structure, walls, subfloor, fixtures, furniture, underlayment, moldings, trims, subfloor heating elements, or anything that is not the floor plank or tile.
2. Damage resulting from mold & mildew growth due to prolonged exposure to moisture.
3. Flooring that is installed outdoors.

#### ***WHAT IS NOT COVERED BY THESE WARRANTIES?***

Damage caused by fire, flooding, or intentional abuse.

Damage caused by vacuum cleaner beater bar, caster wheels, and cutting from sharp objects.

When vacuuming, we recommend using the wand attachment on your vacuum.

Because rolling casters can damage the floor, we do not recommend them.

Loss of gloss/scratching.

If some dulling occurs over time, depending on the amount of traffic, care, and maintenance the floor receives, restore the shine to your high gloss floor, using floor finish. For low gloss floors use low gloss floor finish.

Minor color, shade or texture variations between samples or printed color photography and the actual material.

Floors that are not graded "regular".

Floors that are installed in other than owner-occupied or tenant-occupied residences (Except products that are noted as warranted light commercial).

Installation-related errors or damage including improper conditioning of job-site and flooring materials.

Construction damage after installation.

Floors discolored from moisture or underlayment panels after having been repaired or replaced by ASPEN SPRING FLOORING one time.

Floors damaged by excessive moisture from sources such as flooding and water leakage.

Installation defects.

Gluing down the product.

Damage caused by abuse such as moving appliances across the floor without adequate protection. When moving appliances or heavy furniture, lay a plywood panel on your floor and "walk" the item across it. This protects your floor from scuffing and tears.

### **WHAT IS EXCLUDED FROM THESE WARRANTIES?**

None of our installers, retailers, distributors or employees has authority to alter the obligations, limitations, disclaimers or exclusions under any of our warranties.

We exclude and will not be liable for or pay incidental, consequential or special damages under our warranties. By this we mean any loss, expense, or damage other than to the flooring itself that may result from a defect in the flooring. Our limited warranties constitute the only express warranties for the product purchased.

To the extent permitted by law and for all non-consumer products, all warranties other than our limited warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose, are disclaimed. If any implied warranty arises under state law, any and all implied warranties (including any warranty of merchantability and fitness for a particular purpose) are limited in duration to the duration of this written warranty, to the extent allowed by law.

Some jurisdictions do not allow exclusion or limitations of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you.

These warranties give you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction.

### **INSTALLATION REQUIREMENTS:**

Proper installation plays a key role in the performance of ASPEN SPRING FLOORING floors. For installation of vinyl plank, these basic guidelines should be followed:

Store planks for 48 hours in room where they will be installed. Keep room at a minimum of 65°F during that time and during installation. After installation, temperature should not fall below 65°F for the first 48 hours, and not below 55°F after that.

If room is heated by radiant coils in the subfloor, the TEMPERATURE OF THE FLOOR should not exceed 85°F.

The subfloor must be level, clean, and free of wax, grease, oil or dust.

If necessary, patch or fill any cracks in the subfloor with patch, or latex underlayment. • Use embossing leveler to smooth any texture or embossing on the old floor.

Install over smooth, well-bonded resilient floors or over dry concrete and wood floors with a plywood overlay.


This limited product warranty does not cover the installation of the product, even though ASPEN SPRING FLOORING will pay reasonable labor costs for covered repair or replacement if your floor was professionally installed and the floor product fails for reasons other than installation error. Installation errors are the responsibility of the installer. While installations not performed according to our requirements do not void the product warranty, damage or problems with the flooring related to improper installation are not covered.

**WARRANTY OWNER** This warranty applies only to Professionally Installed or Do-It-Yourself (DIY) installations by a homeowner for his or her own residential end use. This warranty extends only to the original end user and is not transferable.

**PLEASE KEEP YOUR RECEIPT OR OBTAIN IT FROM THE ORIGINAL PURCHASER.** ASPEN SPRING FLOORING needs the flooring receipt in order to verify date and proof of purchase to resolve any problems that may occur. For professionally installed floors, the original receipt for installation labor may also be required



## RIGID CORE LUXURY VINYL FLOORING



**SPC (Stone Plastic Composite or Stone Polymer Composite)**  
ABA pressed SPC - Flexible, stable, waterproof, quite

### **Product Specs:**

- Style Number - TBD
- Construction - Fold-N-Tap, 2G Valinge
- Size – 7 1/4" × 48"
- Thickness - 5.5mm (4.0+1.5 mm EVA foam)
- Wear Layer - 12mil
- Finish – Wood Embossing, UV coating
- Edge Description - Beveled
- SF per Carton – 23.64

- SF per Pallet - 1,418.26
- Installation - Floating or Glue
- Installation Grade - Above, On, Below
- Ortho-Phthalates Free - Yes
- Floor Score Certified - Yes
- Residential Wear Warranty – 50 year
- Light Commercial Warranty - 10 year
- Suggested Adhesive – T-180 Adhesive

### **50 YEAR LIMITED RESIDENTIAL WARRANTY FOR SPC FLOORING**

Will not wear through.

Will be free of manufacturing defects.

Will not rip or tear from normal household use.

Will not permanently indent from normal household use.

Will not discolor from the bottom-up from the underlayment panels, as well as mold, mildew or alkali.

The edges of the plank will not curl.

Wear through is defined as loss of the floor design due to normal household use. We recommend using floor protectors. As a general rule of thumb, the heavier the item, the wider the floor protectors should be.

### **10 YEAR LIMITED COMMERCIAL WARRANTY FOR SPC FLOORING**

#### ***WHAT IS COVERED AND LENGTH OF COVERAGE?***

For commercial installations (example: common areas in multi-unit dwellings and low traffic retail shops) the product is warranted to be free from manufacturing defects for 10 years from the date of purchase. If a defect covered by this warranty is reported to ASPEN SPRING FLOORING in writing within 10 years of purchase, ASPEN SPRING FLOORING will supply new material of the same or similar grade sufficient to repair or replace the defective material.

#### ***LIFETIME LIMITED WATERPROOF WARRANTY***

The floor plank or tile is warranted to be 100% waterproof and the structural integrity of the floor plank or tile will not be significantly diminished by exposure to water for the life of the product. While moisture will not affect the floor's integrity, it is probable that, when excessive moisture accumulates in buildings or on building materials, mold (and/or) mildew growth can occur (particularly if the moisture problem remains undiscovered or unaddressed). Lawson Floors moisture warranty excludes damage resulting from mold and/or mildew growth due to prolonged exposure to moisture. This warranty is not transferable by the purchaser of the floor.

This Lifetime Limited Waterproof Warranty excludes all casualty events involving water coming in contact with your floor and failures normally covered by homeowners insurance including, but not limited to, damages caused by flooding or standing water from leaky pipes, faucets, or household appliances. Also excluded are damages caused by flooding or

standing water from hydrostatic pressure or other casualty events.

The Limited Waterproof Warranty does not cover:

1. Damage to surrounding structure, walls, subfloor, fixtures, furniture, underlayment, moldings, trims, subfloor heating elements, or anything that is not the floor plank or tile.
2. Damage resulting from mold & mildew growth due to prolonged exposure to moisture.
3. Flooring that is installed outdoors.

#### ***WHAT IS NOT COVERED BY THESE WARRANTIES?***

Damage caused by fire, flooding, or intentional abuse.

Damage caused by vacuum cleaner beater bar, caster wheels, and cutting from sharp objects.

When vacuuming, we recommend using the wand attachment on your vacuum.

Because rolling casters can damage the floor, we do not recommend them.

Loss of gloss/scratching.

If some dulling occurs over time, depending on the amount of traffic, care, and maintenance the floor receives, restore the shine to your high gloss floor, using floor finish. For low gloss floors use low gloss floor finish.

Minor color, shade or texture variations between samples or printed color photography and the actual material.

Floors that are not graded "regular".

Floors that are installed in other than owner-occupied or tenant-occupied residences (Except products that are noted as warranted light commercial).

Installation-related errors or damage including improper conditioning of job-site and flooring materials.

Construction damage after installation.

Floors discolored from moisture or underlayment panels after having been repaired or replaced by ASPEN SPRING FLOORING one time.

Floors damaged by excessive moisture from sources such as flooding and water leakage.

Installation defects.

Gluing down the product.

Damage caused by abuse such as moving appliances across the floor without adequate protection. When moving appliances or heavy furniture, lay a plywood panel on your floor and "walk" the item across it. This protects your floor from scuffing and tears.

### **WHAT IS EXCLUDED FROM THESE WARRANTIES?**

None of our installers, retailers, distributors or employees has authority to alter the obligations, limitations, disclaimers or exclusions under any of our warranties.

We exclude and will not be liable for or pay incidental, consequential or special damages under our warranties. By this we mean any loss, expense, or damage other than to the flooring itself that may result from a defect in the flooring. Our limited warranties constitute the only express warranties for the product purchased.

To the extent permitted by law and for all non-consumer products, all warranties other than our limited warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose, are disclaimed. If any implied warranty arises under state law, any and all implied warranties (including any warranty of merchantability and fitness for a particular purpose) are limited in duration to the duration of this written warranty, to the extent allowed by law.

Some jurisdictions do not allow exclusion or limitations of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you.

These warranties give you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction.

### **INSTALLATION REQUIREMENTS:**

Proper installation plays a key role in the performance of ASPEN SPRING FLOORING floors. For installation of vinyl plank, these basic guidelines should be followed:

Store planks for 48 hours in room where they will be installed. Keep room at a minimum of 65°F during that time and during installation. After installation, temperature should not fall below 65°F for the first 48 hours, and not below 55°F after that.

If room is heated by radiant coils in the subfloor, the TEMPERATURE OF THE FLOOR should not exceed 85°F.

The subfloor must be level, clean, and free of wax, grease, oil or dust.

If necessary, patch or fill any cracks in the subfloor with patch, or latex underlayment. • Use embossing leveler to smooth any texture or embossing on the old floor.

Install over smooth, well-bonded resilient floors or over dry concrete and wood floors with a plywood overlay.

This limited product warranty does not cover the installation of the product, even though ASPEN SPRING FLOORING will pay reasonable labor costs for covered repair or replacement if your floor was professionally installed and the floor product fails for reasons other than installation error. Installation errors are the responsibility of the installer. While installations not performed according to our requirements do not void the product warranty, damage or problems with the flooring related to improper installation are not covered.


**WARRANTY OWNER** This warranty applies only to Professionally Installed or Do-It-Yourself (DIY) installations by a homeowner for his or her own residential end use. This warranty extends only to the original end user and is not transferable.

**PLEASE KEEP YOUR RECEIPT OR OBTAIN IT FROM THE ORIGINAL PURCHASER.** ASPEN SPRING FLOORING needs the flooring receipt in order to verify date and proof of purchase to resolve any problems that may occur. For professionally installed floors, the original receipt for installation labor may also be required



WPC (Wood Plastic Composite)

## TRITONCORE 7" WATERPROOF VINYL PLANKS



### Product Specs:

- Style Number - TBD
- Construction - Fold-N-Tap, 2G Valinge
- Size - 6" × 48"
- Thickness - 5.5mm (4.0+1.5)
- Wear Layer - 12mil
- Finish – Wood Embossing, UV coating
- Edge Description - Beveled
- SF per Carton – 27.21

- SF per Pallet - 1,795.83
- Installation - **Floating or Glue**
- Installation Grade - **Above, On, Below**
- Ortho-Phthalates Free - **Yes**
- FloorScore Certified - **Yes**
- Residential Wear Warranty - **50**
- Light Commercial Warranty - **10 year**
- Suggested Adhesive – **T-180 Adhesive**

### **50 YEAR LIMITED RESIDENTIAL WARRANTY FOR WPC FLOORING**

Will not wear through.

Will be free of manufacturing defects.

Will not rip or tear from normal household use.

Will not permanently indent from normal household use.

Will not discolor from the bottom-up from the underlayment panels, as well as mold, mildew or alkali.

The edges of the plank will not curl.

Wear through is defined as loss of the floor design due to normal household use. We recommend using floor protectors. As a general rule of thumb, the heavier the item, the wider the floor protectors should be.

### **10 YEAR LIMITED COMMERCIAL WARRANTY FOR WPC FLOORING**

#### ***WHAT IS COVERED AND LENGTH OF COVERAGE?***

For commercial installations (example: common areas in multi-unit dwellings and low traffic retail shops) the product is warranted to be free from manufacturing defects for 10 years from the date of purchase. If a defect covered by this warranty is reported to ASPEN SPRING FLOORING in writing within 10 years of purchase, ASPEN SPRING FLOORING will supply new material of the same or similar grade sufficient to repair or replace the defective material.

#### ***LIFETIME LIMITED WATERPROOF WARRANTY***

The floor plank or tile is warranted to be 100% waterproof and the structural integrity of the floor plank or tile will not be significantly diminished by exposure to water for the life of the product. While moisture will not affect the floor's integrity, it is probable that, when excessive moisture accumulates in buildings or on building materials, mold (and/or) mildew growth can occur (particularly if the moisture problem remains undiscovered or unaddressed). Lawson Floors moisture warranty excludes damage resulting from mold and/or mildew growth due to prolonged exposure to moisture. This warranty is not transferable by the purchaser of the floor.

This Lifetime Limited Waterproof Warranty excludes all casualty events involving water coming in contact with your floor and failures normally covered by homeowners insurance including, but not limited to, damages caused by flooding or standing water from leaky pipes, faucets, or household appliances. Also excluded are damages caused by flooding or

standing water from hydrostatic pressure or other casualty events.

The Limited Waterproof Warranty does not cover:

1. Damage to surrounding structure, walls, subfloor, fixtures, furniture, underlayment, moldings, trims, subfloor heating elements, or anything that is not the floor plank or tile.
2. Damage resulting from mold & mildew growth due to prolonged exposure to moisture.
3. Flooring that is installed outdoors.

#### ***WHAT IS NOT COVERED BY THESE WARRANTIES?***

Damage caused by fire, flooding, or intentional abuse.

Damage caused by vacuum cleaner beater bar, caster wheels, and cutting from sharp objects.

When vacuuming, we recommend using the wand attachment on your vacuum.

Because rolling casters can damage the floor, we do not recommend them.

Loss of gloss/scratching.

If some dulling occurs over time, depending on the amount of traffic, care, and maintenance the floor receives,



restore the shine to your high gloss floor, using floor finish. For low gloss floors use low gloss floor finish.  
Minor color, shade or texture variations between samples or printed color photography and the actual material.  
Floors that are not graded "regular".  
Floors that are installed in other than owner-occupied or tenant-occupied residences (Except products that are noted as warranted light commercial).  
Installation-related errors or damage including improper conditioning of job-site and flooring materials.  
Construction damage after installation.  
Floors discolored from moisture or underlayment panels after having been repaired or replaced by ASPEN SPRING FLOORING one time.  
Floors damaged by excessive moisture from sources such as flooding and water leakage.  
Installation defects.  
Gluing down the product.  
Damage caused by abuse such as moving appliances across the floor without adequate protection. When moving appliances or heavy furniture, lay a plywood panel on your floor and "walk" the item across it. This protects your floor from scuffing and tears.

### **WHAT IS EXCLUDED FROM THESE WARRANTIES?**

None of our installers, retailers, distributors or employees has authority to alter the obligations, limitations, disclaimers or exclusions under any of our warranties.  
We exclude and will not be liable for or pay incidental, consequential or special damages under our warranties. By this we mean any loss, expense, or damage other than to the flooring itself that may result from a defect in the flooring. Our limited warranties constitute the only express warranties for the product purchased.  
To the extent permitted by law and for all non-consumer products, all warranties other than our limited warranties, express or implied, including any warranty of merchantability or fitness for a particular purpose, are disclaimed. If any implied warranty arises under state law, any and all implied warranties (including any warranty of merchantability and fitness for a particular purpose) are limited in duration to the duration of this written warranty, to the extent allowed by law.  
Some jurisdictions do not allow exclusion or limitations of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you.  
These warranties give you specific legal rights, and you may also have other rights which vary from jurisdiction to jurisdiction.

### **INSTALLATION REQUIREMENTS:**

Proper installation plays a key role in the performance of ASPEN SPRING FLOORING floors. For installation of vinyl plank, these basic guidelines should be followed:  
Store planks for 48 hours in room where they will be installed. Keep room at a minimum of 65°F during that time and during installation. After installation, temperature should not fall below 65°F for the first 48 hours, and not below 55°F after that.  
If room is heated by radiant coils in the subfloor, the TEMPERATURE OF THE FLOOR should not exceed 85°F.  
The subfloor must be level, clean, and free of wax, grease, oil or dust.  
If necessary, patch or fill any cracks in the subfloor with patch, or latex underlayment. • Use embossing leveler to smooth any texture or embossing on the old floor.  
Install over smooth, well-bonded resilient floors or over dry concrete and wood floors with a plywood overlay.  
This limited product warranty does not cover the installation of the product, even though ASPEN SPRING FLOORING will pay reasonable labor costs for covered repair or replacement if your floor was professionally installed and the floor product fails for reasons other than installation error. Installation errors are the responsibility of the installer. While installations not performed according to our requirements do not void the product warranty, damage or problems with the flooring related to improper installation are not covered.

**WARRANTY OWNER** This warranty applies only to Professionally Installed or Do-It-Yourself (DIY) installations by a homeowner for his or her own residential end use. This warranty extends only to the original end user and is not transferable.

**PLEASE KEEP YOUR RECEIPT OR OBTAIN IT FROM THE ORIGINAL PURCHASER.** ASPEN SPRING FLOORING needs the flooring receipt in order to verify date and proof of purchase to resolve any problems that may occur. For professionally installed floors, the original receipt for installation labor may also be required